

ISEO
Made in Italy

ISEO®

Made in Italy

ISEO®
Made in Italy

Vallen
Martinelli
Made in Italy

Frascio®
Made in Italy

ISEO®
Made in Italy

ISEO®
Made in Italy

ISEO®
Made in Italy

ISEO®
Made in Italy

ISEO®
Made in Italy

ISEO®
Made in Italy

ISEO®
Made in Italy

Premium
ACCESSORIES

More than a spark of grandeur or a splash of opulence,
our premium collection embodies the height of aesthetic
and technological advancement.

From the hands of world renowned designers, emerge lines
of finest handles forged through state of the art manufacturing techniques.

Beyond door handles, the intricate machination
between mechanical marvels and technological breakthrough gave way to
a series of inventive smart products.

All of which are designed to ensure unsurpassable level
of beauty, convenience and security.



PREMIUM HANDLE

| | |
|-------------------------------|----|
| VALLIN MARTINELLI HANDLE..... | 1 |
| FRASCIO HANDLE..... | 9 |
| ISEO HANDLE..... | 11 |

ISEO LOCK & CYLINDER

| | |
|-------------------|----|
| MORTISE LOCK..... | 16 |
| MULTIBLINDO..... | 18 |
| CYLINDER..... | 20 |
| PADLOCK..... | 24 |

STEEL DOOR ACCESSORIES

| | |
|--------------------------|----|
| PANIC EXIT DEVICES | 25 |
| FIAM..... | 31 |

ISEO ELECTRONIC SYSTEM

| | |
|---------------------------------|----|
| LIBRA SMART..... | 34 |
| ARIES SMART & STYLOS SMART..... | 35 |
| ARGO & VEGA..... | 36 |
| THESIS 2.0..... | 37 |
| ELECTRIC LOCKS & STRIKES | 39 |



Vallen
Martinelli
Made in Italy



Classic

H A N D L E S E R I E S



A timeless brilliance that continues to fascinate through the ages. With intricate ornaments and gentle curves that drew heavy inspiration from classical era, Classic Handle Series add a profound dignified elegance to your homes.



R983 (OLV - M1)



993/558 (OFA - M69)



R974 (OLS - M33)

Appia



BSS



OGS / PGS

Ardea



OLV



OGS / PGS

Classic




PVD




AF



OGH



RUSTICA (FA)



CHIARA (OFA - M69)



ALEXANDRA (OLV - M1)

Daniela



AB



AF

Fiore



OGH



ONV

Fiorenza



OGH



ONV

Lady



OLV



BSS

Vallen
Martinelli
Made in Italy



Design

H A N D L E S E R I E S


Contemporary muse that pushes the boundary of beauty with captivating simplicity.
Its straightforward design spelt elegance eloquently,



ICEBERG (ZCL)



MORFEO (ACL)



LEONARDO (ACP)

Arete 02



OC



OGH



OGS/PGS

C1918



S316T + R

Nice



OC / PCS

Change B-02



CCS



ONO

Edra 02



OC



OGS/PGS



FRAME (F1 - SAT)



CARTESIO (OCL - M4/F1)



INFINITA (OCS)

Esa



CCS



CBI

Intake



OC



ONO

Joy 02



ZC



ZCS

Logo - B02



CCS

Luxury 02



OC



OGH

Movida B



CCS



OLS

Sike



OGH



PCS

SoChic 02



ZOL



ZC

Twist 02



OC



PVX

Vita - B02



CCS



ONS

Frascio
Made in Italy



*Italian-made designer handles that opens up a new horizon
of simplicity and beauty.*



Allegra

Black + Polished Chrome
Brass and Stainless Steel



Alessandra

Silver / Polished Chrome
Zamak



Aria Round

Satin Chrome
Brass



Aria Square

Satin Chrome
Brass



Eidos Round

Satin Chrome
Brass



Eidos Square

Polished Chrome
Brass



Ely

Satin Chrome
Brass



Inner Metal

Satin Chrome / Satin Stainless Steel
Zamak



Kuma

Satin Chrome
Brass



Pinax

Satin / Polished Chrome
Zamak

ISEO[®]
Made in Italy



LHR (Lever Handle Rose)



Deda

Satin Chrome / Polished Chrome
Zamak



Flipper

Polished + Satin Chrome
Zamak



Plaza

Polished Chrome
Zamak

Available in:
Satin Chrome
Zamak

LHTR (Lever Handle Tube Rose)



Angolo

Satin Stainless Steel
Stainless Steel SUS 304



Curva 22mm

Satin Stainless Steel
Stainless Steel SUS 304
also available as LHTR



Tondo

Satin Stainless Steel
Stainless Steel SUS 304



Zeta

Satin Stainless Steel
Stainless Steel SUS 304

LHSR (Lever Handle Solid Rose)



Nemo

Satin Chrome
+ Brass



Riva

Satin Stainless Steel
Stainless Steel SUS 304

Available :
Titan Protection with Brass
Brass



Silvia

Satin Stainless Steel
Stainless Steel SUS 304

Available :
Polished Stainless Steel
Stainless Steel SUS 304



Sahara

Gold Plated
Brass



Stream

Titan Protection with PVD
Brass



Strike

Satin Chrome
Zamak

LHP (Lever Handle Plate)



Marwa

Antique
Brass



Nemo

Satin Nickel
Brass



Strike

Polished Brass
Brass

ISEO[®]
Made in Italy

LOCK & CYLINDER

Mortise Lock & Multipoint Lock


Locks for wooden frames



291105xxL (40,50,60)



291205xxL(40,50,60)




291125xxL (40,50,60)



291105xxGR (50,60)



291105xx2 (40,50,60)
INOX



291205xxN (40,50,60)




291125xx2 (40,50,60)
INOX



291205xxGR (50,60)

Locks for metal frames & Multipoint Lock



ISEO Metal Frame Lock
Available for upgrade into multi-point lock system.

Electa Multipoint
Latch: 785101302 (30mm)

Multiblindo Classic
Latch: 795500402 (40mm)
Roller: + 040804
Latch: 795500602 (60mm)
Roller: + 040814

Multiblindo Easy
Latch Right: 7A3201402.D (40mm)
Latch Left: 7A3201402.S (40mm)

Multiblindo Performa
Latch: 7235515028 (50mm)
Roller: + 040840

Multiblindo



Multiblindo Classic

A UNIQUE SECURITY CONCEPT

With its exclusive bayonet bolt, anti-picking system and close-on-all-side steel locks case.

AN UNPRECEDENTED EASE OF USE

Supported by a system that reduces turning key force required.

UNEQUALED VERSALITY

Latch, roller latch and plug interchange ability.

DESIGNED AND TESTED

According to the European standards EN 12209:05 (lateral locking version) and prEN 15686 (3-point locking version). It resists lateral forcing with a thrust of over 1000 kg and a front load of over 600 kg.

The corrosion resistance is more than 240 hours in a saline environment.

Endurance : tested over 200,000 opening and closing cycles under 120N load.

By applying an upwards force, equivalent to one metric ton, breaking point "B" yields letting pins "C" insert themselves into their respective spaces in the plate consolidated to the lock case. The deadbolt and the case fundamentally become one single body.

The deadbolt can no longer enter the lock case when its rotation axis is moved, as it interferes with the front plate "E".



Multiblindo Classic is equipped with multiple heavyweight security features.

Multiblindo Easy

LIVING & LEAVING

CHOOSE YOUR SECURITY AND COMFORT.

TOTAL SECURITY

Multiblindo Easy really allows for an easy living, in full comfort and security. User can easily choose between three locking modes (total, light, free) that fit their need.

Security in your house is guaranteed only as an ISEO Multiblindo can do.

| | |
|-----|-------|
| "0" | TOTAL |
| "1" | LIGHT |
| "2" | FREE |

Multiblindo Perforza

MAXIMUM PERFORMANCE WITH ONE EXTRA QUALITY.

IT'S EUROPEAN

PERFORMA by ISEO has been conceived and developed to meet the requirements of the European market by adopting two different centre distances: 85 and 92 mm.

It is solid and weather-sealed, with high versatility to suit different type of application and different frame materials.

The gear box allows for a smoother operation while the soft feel cylinder allows user to lock and unlock the key easily without requiring much force.

Multiblindo eMotion

MUSIC TO YOUR EARS.

Multiblindo eMotion is an electromechanical multi-point lock that enhances ISEO high quality mechanical multiblindo with digital features such as fingerprint, access, keyboard, transponder, and PIN code access. It represents the electronic evolution of ISEO Multiblindo.



ISEO takes cylinder to the next level of security and convenience. Adhering to stricter European standard, ISEO cylinders is designed with multiple security measures, ranging from anti-duplication to anti-drill.



F9

- Multi-profile system
- Registered profile (without time limit)
- Antidrill pin




F90

- Multi-profile system
- Registered profile (without time limit)
- Antidrill pin
- Up to 5 side pins



F99

- Multi-profile system
- Registered profile (without time limit)
- Antidrill pin
- Up to 5 side pins
- Cylindrical hole in the key



F900

- Multi-profile system
- Registered profile (without time limit)
- Antidrill pin
- Up to 5 side pins
- Magnetic coding

Cylinder

F9000

MECHATRONIC CYLINDER



The most advanced ISEO cylinder combines mechanical and electronic features into a highly practical and secure cylinder.


- Mechanical coding compatible with all CSF cylinders.
- Data and energy transfer without electric contact.
- No wiring, energy is supplied by the key (fed by lithium batteries).
- Programming by software and PC interface.
- Multiple functions for access control.
(time slots, events detection, keys enabling and disabling).

CYLINDERS PROFILES

- Endless combinations.
- Different security levels.
- Utmost security, anywhere: hospitals, schools, shopping centres, research centres, office buildings & banks.
- Versatility and flexibility.
- A universal system.
- Registered and patented profiles. Applicable to all cylinders.



Markenschutz
VERBODEN



Software



Property Card



Interface



Programmer Key




User's Key

KEY TO THE FUTURE

F9000 Mechatronic Cylinder combines the reliability of mechanics with the flexibility and convenience of electronics to achieve an unprecedented security level. F9000 meets all the security requirement for a complex access system.

KEY WITH A UNIQUE PERSONALITY



F9000 Mechatronic Cylinder is able to recognize pre-programmed key and recording exactly who and when an assigned key accessed the lock. It also able to allocate time slots, ensuring no unauthorized access is possible.

EASY PROGRAMMING



Programming by software and PC interface is very easy. If a key is lost, simply disable the access right of the lost key through the program.

Cylinder


F9000

MECHATRONIC CYLINDER



SECURITY AND CONTROLS

F9000 Mechatronic Cylinder allows different security levels and has multiple functions for access control such as time slots, event detection, keys enabling and keys disabling. It ensures that only authorized person at pre-programmed time slots has access in the building.



UTMOST CONVENIENCE

F9000 Mechatronic Cylinder can directly replace the old regular cylinder. It works without any wiring since the energy is supplied by the key. All data and energy transfer are conducted without electric contact.

USER ... USER 6 USER 5 USER 1 USER 2 USER 3 USER 4



FUTURE EXTENSIONS


ENDLESS POSSIBILITIES OF EXTENSION

F9000 Mechatronic Cylinder versatility and flexibility allows the system to expand easily.



ISEO F9000 Mechatronic Cylinder is the ideal solution for access control in residential and public buildings.

Cylinder Diagram



| | | |
|----------|--------------------------|--------------------|
| A | Active Pin | R50 |
| B | Passive Pins | R50, R7 |
| C | Anti-Drill Protection | R50, R7, R6 |
| D | Reinforced Cylinder Core | All |
| E | Bottom Pins | All |
| F | Mushroom Pins | All |
| G | Anti-Allowance pins | All |

R50



- 11+3 pin cylinder and reversible flat key.
- Patented key with anti-duplication insert.
- Antidril cylinder.
- 5 KEYS.
- Additional keys are cut by codes in ISEO key card.
- 1+3 KEYS or 1+5 KEYS.
(1 Construction key or first-use key 3 or 5 Owner keys or second-use keys the process is irreversible).
- T.K
(Can be re-coded with number of keys chosen by the Customer for first, second and third-use keys the process is irreversible).

R7



- 11+3 pin cylinder and reversible flat key.
- Patented active pin.
- Antidril cylinder.
- 5 KEYS.
- Additional keys are cut by codes in ISEO key card.
- 1+3 KEYS or 1+5 KEYS
(1 Construction key or first generation key 3 or 5 Owner's keys or second-use keys the process is irreversible).
- T.K
(Can be re-coded with number of keys chosen by the Customer for first, second, and third-use keys the process is irreversible).

R6



- 6-pin cylinder and reversible flat key.
- Anti drill Body.
- Stainless Steel pins.
- 5 KEYS.
- Additional keys are cut by codes in ISEO key card.

F6



- Fully made in Italy with high precision and superior quality control, comply to EN standards
- Quality Brass body, brass keys, mushroom pins, mixture of body pins to enhance security
- Minimum actual key differ combination 46,000

F5




- Fully made in Italy with high precision and superior quality control, comply to EN standards
- Quality Brass body, brass keys, mushroom pins, mixture of body pins to enhance security
- Minimum actual key differ combination 30,000



When you can't afford to compromise on security, ISEO Padlock is the impeccable choice. Using strong materials, ISEO padlock is immune to almost all kind of external intrusion, safely securing your precious belonging.

Color : Satin Chrome
Shackle : Boron
Material : Brass



58mm-KK-SP



58mm-KK



58mm-SP



58mm



48mm-KK-SP



48mm-KK



48mm-SP



48mm



STEEL DOOR ACCESSORIES

PANIC EXIT DEVICE for Glass Door



BELVEDERE

(Assembly kit for glass doors)

Technological innovation of ISEO allows easier and safer installation of panic exit device even in traditionally restricting door materials such as glass door. The BELVEDERE series is especially designed for frameless glass door, ensuring an additional level of safety in the event of emergency.

NEW
on glass

Base-Inox



9414113224

INNOVATION

Assembly kit for antipanic glass doors without frame.

(Base, Push, Push-Bolt, Pad and Pad-Bolt)

1 points, 2 points, 3 points high and low.

3 points side and together of external operation.

DESIGN and SAFETY

The most advanced design with maximum protection.

COLOUR

Completion nickel gloss.



94100506 94100536



94100516 94100526
External Right-Hand External Left-Hand



Trim-Inox

94011002T



**Trim-Inox
Belvedere series**

94021002

PANIC EXIT DEVICE



PANIC EXIT. PALMO.

ISEO Panic Exit Device adhere to stricter European Union standard. It able to function under extreme heat, safeguarding precious exit accesses on the event of catastrophic emergency.

CE 1121
NP EN1125/A1



Thermoexpanding gasket
9301100xT



Pad
9462020x04



Pad
9466020x04



Pad-Bolt
9472020x04



Trim
94011007T
(Metallic Gray)



Trim
94011005T



Trim
94021025



Trim
9402200xT

MOST POPULAR SET




Inside

Outside

Outside ↑ Inside

- 1 ISEO PALMO PANIC EXIT DEVICE WITH BAR**
• ISEO PALMO 949000060379 + MTS



- 2 STAINLESS STEEL HINGE SUS 304**
• DEKKSON ESS - DL 4,5x4x3 mm 2BB SSS



- 3 DOOR CLOSER**
• DEKKSON DCL 105 NHO (100 kg)
• DEKKSON DCL 525 NHO (40-100 kg) Fire-rated



- 4 KNOB**
• DEKKSON KNOB ONLY SSS



- 5 ESCUTCHEON**
• DEKKSON D01 SSS



- 6 CYLINDER**
• ISEO HC50mm SN




PANIC EXIT DEVICE

IDEA.

IDEA Bolt has an amazing design even for the best architects. With simplified installation, it is suitable for all type of frames (aluminium, steel, PVC, wooden).



MOST POPULAR SET



1 ISEO IDEA PANIC EXIT DEVICE WITH BAR

- ISEO Single Point Idea 941111334 A
- ISEO Push Panic 942411758T BK



2 STAINLESS STEEL HINGE SUS 304

- DEKKSON ESS - DL 4,5x4x3 mm 2BB SSS



3 DOOR CLOSER

- DEKKSON DCL 105 NHO (100 kg)
- DEKKSON DCL 525 NHO (40-100 kg) Fire-rated



4 TRIM FOR IDEA PANIC EXIT DEVICE (HANDLE & KEY)


ISEO Trim External Control:

- 94011003T (Grey)
- 94011005T (Black)





612



618




608



672



668.0328.0G00




AD6780037PG04 SN
3+1 BOLT LATCH




608 P



638
638.04.60




662



668



668 E



678 G

X1R SMART

Smart is also Intelligent



Today safety is also intelligent. The new x1R 2008 models, unlike the previous model, offer various ways of managing the access code.

Based on your specific needs you can choose whether to create a door that can be opened using a transponder reader (TAG), a numeric code (backlit keypad for optimum night vision) or a Rolling Code radio control, that can even interact with alarm systems and other access barriers such as gates, garage doors, etc, even when it's already installed.

For the more demanding, x1R can also communicate and exchange data with all domotic systems using an I/O card.

In developing this new vision we have given ample space to design and the appearance of visible accessories in order to avoid altering the door's final appearance and make it compatible with normal construction standards.

The result is that all electronic access controls have been inserted in the same faceplate that is normally used to decorate the cylinder and protect it externally. In the event of a power cut or if any other electrical problem should prevent it from working correctly, no problem: for your safety you can always open and close your home using traditional mechanical key, which if you wish can accompany you discreetly at all times inside the transponder xKey.

Mechanics and Electronics
perfectly combined
Safety can be intelligent



Mechanical Only
AD6780037PG04
SN, 3+1 Bolt + Latch



Mechatronic

X1R SMART

Deviator



122.40.00



99.668.FP1



9999.00.15



Transponder Reader
(TAG)



Keypad



Radio Control



Internal
Programming Logic



I/O Interface Card
(In & Out)

ISEO®
Made in Italy

ELECTRONIC SYSTEM

LIBRA SMART

Beyond the regular cylinder, Libra Smart Cylinders offers a whole new grade of security and convenience. Its ability to connect with digital ecosystem allows myriad of practical accesses and features. Evolve your door with Libra Smart Cylinder

Supported by ISEO ARGO App and VEGA System.

ARGO App
THE LATEST EVOLUTION
OF ACCESS CONTROL




EXCELLENCE
2014
FINALIST
ADI DESIGN INDEX 2013
in concorso per l'ambito
COMPASSO D'ORO ADI




Open with Smartphone and MIFARE Card through ARGO app

- Libra is a stand-alone access control system with RFID Multistandard credential reader and signalling LED.
- It fit with most European profile cylinder locks.
- Harmless installation and replacement, with no wiring (it works with batteries).
- Unique and innovative design, 2 colours and 4 finishes available.
- Modular system for a simple and rapid customized configuration with SIRIO software.
- On site software upgrading.
- Optional heavy duty usage (All weather version; IP66).
- Libra responds to the challenges of the present Italian design: it is a project which pays attention to people, environment, challenges of technology innovation and user real needs, which is the authentic economic and ethic sustainability.




Libra premium



Libra standard



Libra double



Libra half

Coding

| | 8 | 2 | K | X | X | X | X | X | X | X | X | 1 | X |
|--|----------------------------|---|---|---|---|---|---|---|---|---|---|---|---|
| External usage version (IP66 Heavy Duty) | 1 | | | | | | | | | | | | |
| Internal usage version (IP54) | 2 | | | | | | | | | | | | |
| Libra Premium 0 | | | | | | | | | | | | | |
| Libra Standard 8 | | | | | | | | | | | | | |
| Libra Double E | | | | | | | | | | | | | |
| Libra Half 0 (* D = 10mm) | | | | | | | | | | | | | |
| | DIMENSION | | | | | | | | | | | | |
| | FINISHES | | | | | | | | | | | | |
| | 1 Software SIMPLY | | | | | | | | | | | | |
| | 2 Software OFFLINE | | | | | | | | | | | | |
| | 25 Inox - Black | | | | | | | | | | | | |
| | K5 Polished Chrome - Black | | | | | | | | | | | | |
| | S5 Satin brass - Black | | | | | | | | | | | | |
| | L5 Polished Brass - Black | | | | | | | | | | | | |
| | K4 Polished Chrome - White | | | | | | | | | | | | |
| | L4 Polished Brass - White | | | | | | | | | | | | |
| | L max 120 mm* | | | | | | | | | | | | |

ISEO Zero1

ARIES SMART



Electronic Trim Set

Supported by ISEO ARGO App and VEGA System

Aries Smart with RFID Multistandard Credential Reader is a flexible smart lock that fit in most doors (wood, aluminium, iron) thanks to its narrow profile. It is very easy to install as it requires no wiring. With sleek modern look, Aries Smart is a reliable solution for residencials, offices and public facilities.



UP TO 50.000 OPERATIONS



LOW INSTALLATION COST



NARROW PROFILE



Aries
Code : 00E1xxx 10xx



Multiblando Easy
Code : 7A32xxxx2.D/S


ISEO Zero1

STYLOS SMART

Stylos Smart is a smart credential reader that easily integrate with ISEO Lockbus Interface such as the Thesis 2.0 electro-piston. It serves as the ideal solution for offices, small companies, and residential building.

Credential Reader

LOCKBUS



User Card



Master Card



Code : 5E1210103



Code : 5E1210403



Code : 5E1110103



Code : 5E1110403



ISEO ARGO App: The New Way to Manage Your Door

ARGO app on iOS and Android smartphone allows user to manage, monitor and open all ISEO Smart Locks (Libra, Aries, x1R SMART, Stylos SMART, Thesis 2.0, etc.) through smartphone without internet connection or any additional services.

■ OPEN WITH SMARTPHONE

With Bluetooth Smart technology that allows doors to be opened from up to 10 meters.

■ OPEN WITH CARDS OR TAGS

Convert ISEO cards or any existing MIFARE cards as door keys.

■ MANAGE USER LIST

Manage access rights for up to 300 users.

■ INVITATIONS

Allows colleagues or employers to self-register as users through invitation code.

■ REMOTE KEY DELIVERY

Send virtual key at any time and from anywhere. Allow guests to access the door.


■ FREE SOFTWARE UPGRADE

Continuous free application update that enhances function and usability.



VEGA System: Web-based Access Control System

VEGA system is pre-configured inside Atlas Box, allowing the system up and running in minutes without needing any additional software or hardware. VEGA web server gives you the freedom to manage and control accesses anywhere and anytime. VEGA features a user-friendly interface to manage your entire access control system from any mobile devices or desktop computer with web browser.





THESIS 2.0.

Highly dependable and secure lock with solenoid locking system. Thesis 2.0 transform simple door and make it even safer and more functional. It works both as a stand-alone lock and as a part of larger integrated locking system.

Supported by ISEO ARGO App and VEGA System.

SECURITY SOLENOID LOCK

- Thesis 2.0 guarantees a trouble-free operation even if fixed horizontally.
- Ideal solution for automatic sliding doors & swing doors.
- Can be operate either "Stand-alone" access control or "local networks" (Lockbus).
- Innovative electronics with power reserve (booster) ensuring work efficient, even with 8 volts only.
- Self-adjustable power supply from 8 VDC to 30 VDC.
- Back up system : over-riding with European profile cylinder.
- Encrypted data transmission for high security against manipulation if pair with ISEO STYLOS line.
- 3 wires for data transmission and power supply connection up to 100 meters.
- Can be engineered to automatic interlock system such as interlocked doors typical bank application.
- Reference standard: UNI EN14846:2008 & EN12209:2008.



Code : 0750x80xx21






It is certified

Thesis 2.0 Standard is conceived and manufactured in compliance with European standards UNI 14846:08 with the following classification:

3 C 8 0 0 G 3 0 1

3 C 8 0 0 G 3 1 1 *

*in combination with STATUS INDICATOR



- 1. Thesis 2.0 Standard lock
- 2. Striking plate
- 3. European profile cylinder
- 4. Status indicator with pushbutton
- 5. Stylos reader
- 6. Concealed lead covers
- 7. Door closer
- 8. Power supply unit



Thesis 2.0
Latchbolt



Thesis 2.0
Standard




Thesis 2.0
Professional



Thesis 2.0
Professional Mini

Electric Locks & Strikes



Electric Locks and Strikes is the next evolution of regular fixed strike faceplate. It utilizes electric current to manage its locking mechanism, further safeguarding your door from unwanted intrusion.



5661830



5621850



5611830



5611850



5661900



0400x0



Key Blank

020259

5203xxx02



Key Blank

020259

5201xxx05



ISEO[®]
Made in Italy

Frascio[®]
Made in Italy

vallen
Martinelli
Made in Italy

Available at :



ISEO/VM/FR/SEM2/2018