




BROCHURE

DEON


by **DEKSON**[®]





DEON was founded in 2022. DEON's vision is to provide customers with many smart home products and solutions that are beautifully designed, affordable and easy to use.

DEON is committed to providing an easy-to-understand and integrated products. Our product designs are simple and elegant, followed by the "Smart Living" design philosophy. To serve as many customers as possible, DEON products support all major platforms including Google Assistant, Amazon Alexa and Siri.



DEON Mobile Application
One App, Multiple Control



SMART HOME AUTOMATION

Smart Door Sensor

If : The Door Open
Then : Turn On The AC

Smart PIR Motion Sensor

If : The Motion Detection On
Then : Turn On The Light

DEON APP CAN CONTROL ALL DEVICES AND CONNECT
WITH GOOGLE ASSISTANT AND AMAZON ALEXA.

...


Hey Google..
Turn On the Light
Go It



Alexa..
Turn Off TV
Oke

CONTROL A SMARTER WAY OF LIVING
IN THE PALM OF YOUR HAND

SMART HOME AUTOMATION



Smart Wall Socket EU
If : 6am o'clock
Then : Turn On The Smart Socket

Smart Indoor PTZ Cam
If : The Motion Detection On
Then : Turn On The Alarm

Smart IR Remote
If : The Door Open
Then : Turn on AC

How Does **Automation** Work?

Home automation is a network of hardware, communication and electronic interfaces that work to integrate everyday devices with one another via the Internet. Each device has sensors and is connected through WiFi so you can manage them from your smartphone or tablet whether you're at home or miles away. This allows you to turn on the lights, lock the front door or even turn down the heat, no matter where you are.



TABLE OF CONTENT

► INTRODUCTION	i	► SMART LIGHTING	21
► SMART HOME ECOSYSTEM	ii	SMART BULB RGBWW	22
► SMART AUTOMATION	iii	SMART BULB FILAMENT	23
► TABLE OF CONTENT	v	SMART DOWNLIGHT RGBWW	24
► SMART SECURITY	1	SMART DREAM COLOR LED STRIP	25
SMART INDOOR PTZ CAM	2	SMART LED STRIP RGBWW	26
SMART INDOOR PTZ CAM - ALPHA	3	SMART HEXALIGHT	27
SMART INDOOR STATIC CAM	4	► SMART ELECTRICAL	28
SMART OUTDOOR BULLET CAM	5	SMART WALL SWITCH	29
SMART OUTDOOR PTZ CAM	6	SMART GLASS SWITCH	30
SMART OUTDOOR PTZ BATT CAM	7	SMART WALLPAD 6"	31
SMART BABY CAM + LCD MONITOR	8	SMART WALLPAD 4"	32
SMART OUTDOOR PTZ BATT CAM WHITE	10	SMART WALL SOCKET EU	33
SMART VIDEO DOORBELL	11	SMART WALL SOCKET UNI	34
SMART VIDEO DOORBELL BLACK	12	SMART PLUG EU	35
SMART POE CAM	13	SMART POWER STRIP EU USB TYPE C	36
SMART LOCK D2	14	► SMART HOME	37
SMART ALARM SYSTEM	15	SMART CURTAIN	38
SMART PIR MOTION SENSOR	16	SMART IR REMOTE	39
SMART DOOR SENSOR	17	DEON MICRO SD MEMORY CARD	40
SMART SMOKE SENSOR	18	► PROJECT REFERENCE	41
SMART GAS LEAK DETECTOR	19		
SMART WATER LEAK SENSOR	20		



SMART SECURITY

A Smarter Way of Living



SMART INDOOR PTZ CAM



App



2K Quad HD Resolution



355° Detection



Motion Tracking



Motion Sensor




Night Visibility



2 Way Audio

SPECIFICATIONS

Audio Output/Input	: Built-In Microphone/Speaker
Image Resolution	: 3MP (2560 x 1296)
Wireless	: 2.4 GHz (IEEE802.11b/g/n)
Operating Temp	: -20°C ~ 50°C
Input Voltage	: Support DC 5V/1A
Storage	: SD Card Max. 128GB, Cloud Storage
IR Distance	: Night Visiblility up to 10m
Alarm Trigger	: PIR Detection





SMART INDOOR PTZ CAM - ALPHA



App



2K Quad HD
Resolution



355°
Detection



Night
Visibility




Motion
Sensor



2 Way
Audio

SPECIFICATIONS



Audio Output/Input	: Built-In Microphone/ Speaker
Image Resolution	: 3MP (2560 x 1296)
Wireless	: 2.4 GHz (IEEE802.11/g/n)
Operation Temp	: -20°C ~ 50°C
Input Voltage	: Support DC 5V/1A
Storage	: SD Card Max. 128GB, Cloud Storage
IR	: Night Visibility
Alarm Trigger	: PIR Detection



SMART INDOOR STATIC CAM



App



2K Quad HD
Resolution



Night
Visibility




Motion
Sensor



2 Way
Audio

SPECIFICATIONS

Audio Output/Input	: Built-In Microphone/Speaker
Image Resolution	: 3MP (2560 x 1296)
Wireless	: 2.4 GHz (IEEE802.11b/g/n)
Operating Temp	: -20°C ~ 50°C
Input Voltage	: DC 5V/1A
Storage	: SD Card Max. 128GB, Cloud Storage
IR Distance	: Night Visiblility up to 10 m
Alarm Trigger	: PIR Detection





SMART OUTDOOR BULLET CAM



App



2K Quad HD
Resolution



IP65



Wide
Angle



Night
Visibility




Motion
Sensor



2 Way
Audio

SPECIFICATIONS



Audio Output/Input : Built-In Microphone/Speaker

Image Resolution : 3MP (2560 x 1296)

Wireless : 2.4 GHz (IEEE802.11b/g/n)

Operating Temp : -20°C ~ 50°C

Input Voltage : Support DC 12V/1A

Storage : SD Card Max. 128Gb,
Cloud Storage

IR Distance : Night Visibillity up to 10 m

Alarm Trigger : PIR Detection



BLACK
series

SMART OUTDOOR PTZ CAM



App



2K Quad HD
Resolution



355°
Detection



IP65



Color Night
Vision



Motion
Sensor



2 Way
Audio

SPECIFICATIONS

Audio Output/Input : Built-In Microphone/Speaker

Image Resolution : 3MP (2304×1296)

Wireless : 2.4G WIFI (IEEE802.11b/g/n)

Operating Temp : -20°C ~ 50°C

Input Voltage : DC 12V/1A


Storage : SD Card Max.128GB,
Cloud Storage

IR Distance : Night Visibility up to 10m

Alarm Trigger : PIR Detection

IP Rating : IP65

Power Consump : Max. 4.5W





SMART OUTDOOR PTZ BATT CAM



App



2K Quad HD
Resolution



355°
Detection



Rechargeable
Batteries



IP65



Color Night
Vision




Motion
Sensor



2 Way
Audio

SPECIFICATIONS



Audio Output/Input : Built-In Microphone/Speaker

Image Resolution : 3MP (2304 x 1296)

Wireless : 2.4G WIFI (IEEE802.11b/g/n)

Operating Temp : -20°C ~ 50°C

Battery Power : 9600mAh Rechargeable
Li Batteries

Storage : SD Card Max. 256GB,
Cloud Storage

IR Distance : Night Visibility up to 30m

Alarm Trigger : PIR Detection

Stand By Time : 6 Months

Working Time : 1.5 - 3 months (varies based on
settings, usage & temperature)

SMART BABY CAM

STAY CONNECTED, STAY INFORMED & STAY REASSURED





SMART BABY CAM + LCD MONITOR


- | | | | |
|---------|-----------------------|-----------------|---|
| App | 2K Quad HD Resolution | 355° Detection | Cry Detection |
| Lullaby | Nursing Reminder | Human Detection | One-button Talk (Two Way Communication) |

Available Version :



DO

VE



SPECIFICATIONS

SMART BABY CAM

- | | |
|--------------------|--------------------------------------|
| Audio Output/Input | : Built-In Microphone/Speaker |
| Image Resolution | : 3MP (2304x1296) |
| Wireless | : 2.4G WIFI (IEEE802.11b/g/n) |
| Input Voltage | : DC 5V/1A |
| Storage | : SD Card (Max.128GB), Cloud Storage |
| IR | : Night Visibility |
| Alarm Trigger | : Motion/Noise/Crying Detection |

MONITOR

- | | |
|-----------------------|-------------------------------------|
| Image Resolution | : 720P (1280x720) |
| Intercom | : Two-Way Communication |
| Power | : 3000mAh Rechargeable Li Batteries |
| Storage | : SD Card Max.128GB |
| Transmission Distance | : up to 200m (No Obstacle) |



SMART OUTDOOR PTZ CAM WHITE



App



2K Quad HD Resolution



355° Detection



IP65



Color Night Vision



Human Body Detection



2 Way Audio



Motion Tracking

SPECIFICATIONS

Audio Output/Input : Built-In Microphone/Speaker

Image Resolution : 3MP (2304×1296)

Wireless : 2.4G WIFI (IEEE802.11b/g/n)

Operating Temp : -20°C ~ 50°C


Input Voltage : DC 5V/1A

Storage : SD Card Max.128GB,
Cloud Storage

IR : Night Visibility

Alarm Trigger : Intelligent Motion Detection

IP Rating : IP65



**DEON**by **DEKSON**


SMART VIDEO DOORBELL



App

Rechargeable
BatteriesMotion
SensorAnti-Theft
Alarm2 Way
Audio

IP65



SPECIFICATIONS

Audio Output/Input	: Built-In Microphone/Speaker
Image Resolution	: 3MP (1984x1488)
Wireless	: 2.4G WIFI (IEEE802.11b/g/n)
Operating Temp	: -20°C ~ 50°C
Battery Power	: 4800mAh rechargeable Li batteries
Storage	: SD Card (Max.128GB)
IR Distance	: Night Visibility up to 10m
Alarm Trigger	: Button Triggering, PIR Detection
View Angle	: 130° Wide
Stand-by Time	: 6 Months
Working Time	: 1-2 months (varies based on settings, usage & temperature)



BLACK
series

SMART VIDEO DOORBELL



App



Rechargeable
Batteries



Motion
Sensor



Siren




2 Way
Audio




IP65

SPECIFICATIONS

Audio Output/Input	: Built-In Microphone/Speaker
Image Resolution	: 2MP (1920x1080)
Wireless	: 2.4G WIFI (IEEE802.11b/g/n)
Operating Temp	: -10°C ~ 50°C
Battery Power	: 5200mAh
Storage	: SD Card (Max.32GB)
IR Distance	: 3-5M
Alarm Trigger	: Button Triggering, PIR Detection
View Angle	: 155° Wide
Stand-by Time	: 3 Months
Working Time	: 3 Weeks



**DEON**by **DEKSON**


SMART POE CAM



App

2K Quad HD
ResolutionColor Night
Vision

IP66

Motion
TrackingHuman Body
DetectionSupport
POE

SPECIFICATIONS

SMART POE CAM

Audio Output/Input : Built-In Microphone/Speaker

Image Resolution : 5MP (2880x1600)

Power : 12V/0.5A

Storage : SD Card Max.256GB, Cloud Storage

NVR

IP Video Input : 8 Chanel

Power Supply : DC 48V/1.35A

Power Consump : Max. 45W (without HDD)

Storage : Up to 10TB

Working Temp : -10 °C to 55 °C

Working Humidity : 10% to 90%

PoE Distance : Up to 250m without any
configuration



SMART LOCK D1



App



Fingerprint



Password



Mifare
Card



Mechanical
Key

SPECIFICATIONS



Turn Up Handle
for Lock



Battery Power
AA Alkaline 4pcs



Unlock Record




Anti Peeping
Code



Doorbell



Low Power Warning
(Micro USB Backup
Power)





DEON
by **DEKSON**



SMART ALARM SYSTEM



App



Motion
Sensor



Doorbell



Door
Sensor



Remote
Control

Can Ordered Separately :




Smart Doorbell Button
& Smart Siren

Available Color :



Black



SPECIFICATIONS

Input Voltage	: AC 85V — 250V
Built-In Lithium Battery	: 250mAh 3.7V
Battery Standby Time	: 4 Hours
Wireless Receiving Freq	: 433m ± 75 KHZ 330K EV1527
Wireless Transmitting Freq	: 315m ± 75 KHZ 330K EV1527
Wireless	: 2.4G WIFI (IEEE802.11b/g/n)
Wireless Distance	: ≤ 80m (In Open Space)
Working Temperature	: -10°C ~ 50°C
Working Humidity	: Max 95% RH



SMART PIR MOTION SENSOR

Available Color :



Black



App



360°
Detection




Infrared up to
5 meters



Motion
Sensor

SPECIFICATIONS

USB Input Voltage	: DC 5V / 2A
Battery Power	: AAA 1,5V (2 pcs)
Stanby Current	: ≤ 75uA
Wireless	: 2.4G WIFI (IEEE802.11b/g/n)
Alarm Current	: ≤ 60mA
Low Power Undervolt	: ≤ 2.2 V
Detection Distance	: 6 M
Detection Angle	: 360° Ceiling-Installation
Installation Method	: Ceiling/Wall
Working Temperature	: -10° ~ 50° C
Working Humidity	: Max 95% RH





SMART DOOR SENSOR



App




Open / Close
Indicator

Available Color :



Black



SPECIFICATIONS

Battery Power	: AAA 1.5V (2 pcs)
Standby Current	: $\leq 45\mu\text{A}$
Wireless	: 2.4G WIFI (IEEE802.11b/g/n)
Alarm Current	: $\leq 130\text{mA}$
Low Power Undervolt	: $\leq 2.4\text{V}$
Magnetic Control Distance	: $\leq 15\text{mm}$
Working Temperature	: $-10^{\circ}\text{C} \sim 50^{\circ}\text{C}$
Working Humidity	: Max 95% RH



SMART SMOKE SENSOR

Available Color :



Black



App




Ceiling Mounted



Alarm

SPECIFICATIONS

Battery Power	: AAA 1,5V (2 pcs)
Static Current	: $\leq 15\mu A$
Wireless	: 2.4G WIFI (IEEE802.11b/g/n)
Alarm Current	: $\leq 220mA$
Low Power Undervolt	: $\leq 2.4V$
Alarm Sound Level	: 85dB/1m
Detecting Range	: 20m ²
Installation Method	: Ceiling Mounted
Working Temperature	: -10°C ~ 50°C
Working Humidity	: Max 95% RH





SMART GAS LEAK DETECTOR



App



Combustible
Indicator




Alarm

Available Color :



Black



SPECIFICATIONS

Input Voltage	: AC 85V - 250V
Average Consump	: $\leq 1,5$ Watt
Wireless	: 2.4G WIFI (IEEE802.11b/g/n)
Alarm Density	: 7% LEL $\pm$ 3% LEL (H4)
Alarm Sound	: 70 dB/m
Working Temperature	: -10° ~ 50° C
Working Humidity	: Max 95% RH



SMART WATER LEAK SENSOR

Available Color :






Black



SPECIFICATIONS

Battery Power	: SC 3V CR123A
Standby Current	: $\leq 20\mu\text{A}$
Wireless	: 2.4G WIFI (IEEE802.11b/g/n)
Alarm Current	: $\leq 125\text{mA}$
Low Power Undervolt	: $\leq 2.6\text{V}$
Installation Method	: Mount on The Ground
Working Temperature	: $-10^{\circ}\text{C} \sim 50^{\circ}\text{C}$
Working Humidity	: Up to 95% RH





SMART LIGHTING

A Smarter Way of Living



SMART BULB RGBWW

Available Version :



App



Multi
Colors



Music
Visualizer




Dimmer



Time
Schedule

SPECIFICATIONS

Dimmable	: Yes
Base	: E27
Input Voltage	: AC220-240V
Frequency	: 50Hz
Wattage	: 9W BLE 9W 12W
Color Temperature	: 2700K-6500K + RGB
Environment Temperature (°C)	: -20°C ~ 45°C



**DEON**by **DEKSON**


SMART BULB FILAMENT



App



Dimmer

Time
Schedule

SPECIFICATIONS

Dimmable	: Yes
Base	: E27
Input Voltage	: AC220-240V
Frequency	: 50Hz
Wattage	: 4W
Color Temperature	: 2700K-6500K
Environment Temperature (°C)	: -20°C ~ 45°C



SMART DOWNLIGHT RGBWW

Available Version :



App



Multi
Colors



Music
Visualizer




Dimmer




Time
Schedule

SPECIFICATIONS

Dimmable	: Yes
Input Voltage	: AC170-265V
Frequency	: 50/60Hz
Wattage	: 12W 18W
Support	: WIFI/BLE
Color Temperature	: 2700K-6500K + RGB
Environment	: -20°C ~ 45°C
Hole Size	: Ø 110-120
Temperature (°C)	



12W | 0



18W | 0



SMART HEXALIGHT



App



Multi
Colors



Color
Scene



Dimmer




Music
Visualizer



Time
Schedule



SPECIFICATIONS



Dimmable	: Yes
Control	: APP & Controller
Color	: RGB Change Color
Feature	: 16 Million Colors + DIY Light Mode



SMART DREAM COLOR LED STRIP



App



Multi
Colors



Color
Scene



Dimmer




Music
Visualizer



Time
Schedule

SPECIFICATIONS

Dimmable	: Yes
Length	: 5m/Roll
Power Consumption	: 3W/m
Input Voltage	: AC 220 ~ 240V
IP Rating	: IP65
Wireless	: 2.4G WIFI (IEEE802.11b/g/n)





SMART LED STRIP RGBWW



App



Multi
Colors



Color
Scene



Dimmer



Music
Visualizer



Time
Schedule


**Adaptor to be ordered separately*




1A = 2m - 4m LED Strip
4A = 4m - 10m LED Strip

SPECIFICATIONS


Dimmable	: Yes
Length	: 2m/Roll
Power Consumption	: 3W/m
Input Voltage	: AC 220 ~ 240V
IP Rating	: IP65
Wireless	: 2.4G WIFI (IEEE802.11b/g/n)





SMART ELECTRICAL

A Smarter Way of Living



SMART WALLPAD 6"



App



HD Screen



Multi Touch
Screen




Auto Light
Sensor



2 Way
Communication



Can be synchronized with
Smart Video Doorbell



SPECIFICATIONS

Input Voltage	: 100~240V AC ,50/60Hz
Support	: Wi-Fi/Bluetooth/Zigbee
RAM	: 2GB
ROM	: 8GB
Operating Temp	: 0°~40° C
Working Humidity	: 5% to 90%RH non-condensing
Light Sensor	: Automatically adjust the screen brightness according to surroundings
Display	: 1440 x 720 resolution



SMART WALLPAD 4"



Can be synchronized with
Smart Video Doorbell



App



HD Screen



Interroom
Function



Multi Touch
Screen



Easy
Installation



Motion
Sensor

SPECIFICATIONS


Input Voltage : 100-240V AC, 50/60Hz

Support : Wi-Fi/Bluetooth/Zigbee

RAM : 1GB

ROM : 8GB


Light Sensor : Automatically adjust the screen
brightness according to surroundings





SMART HOME

A Smarter Way of Living



1 GANG



2 GANG



3 GANG

SMART GLASS SWITCH



App



Wall
Mounted



Time
Schedule


Available Color :



Black



Grey



SPECIFICATIONS

Power Supply	: 90V-250V AC 50/60Hz
Load Power	: 600W/Gang
Wireless	: 2.4GHz (IEEE802.11 b/g/n)
Operating Temp	: -20°C ~ 70°C
Wireless Consumption	: ≤ 0.2W
Working Humidity	: ≤ 95 %

Available Version : N-Option



1 GANG



2 GANG



3 GANG

Available Color :



Grey



App



Wall
Mounted




Time
Schedule

SPECIFICATIONS

Power Supply	: 100-240V AC 50/60Hz
Load Power	: 500W/Gang
Wireless	: 2.4GHz (IEEE802.11 b/g/n)
Operating Temp.	: -20° ~ 70° C

Available Version : N-Option





DEON
by **DEKSON**



SMART WALL SOCKET EU



App



Wall
Mounted



Time
Schedule



On/Off
Switch

Available Color :




Black



Grey

SPECIFICATIONS

Power Supply	: 100V-240V AC 50/60Hz
Max. Current	: 16A 240V AC (EU) : 13A 240V AC (UNI)
Wireless	: 2.4GHz (IEEE802.11 b/g/n)
Operating Temp	: -20°C ~ 70°C
Wireless Consumption	: ≤ 0.2W
Working Humidity	: ≤ 95 %





Available Color :



Black



Grey

SMART WALL SOCKET UNI



App



Wall
Mounted




Time
Schedule



On/Off
Switch

SPECIFICATIONS

Power Supply	: 100V-240V AC 50/60Hz
Max. Current	: 16A 240V AC (EU) : 13A 240V AC (UNI)
Wireless	: 2.4GHz (IEEE802.11 b/g/n)
Operating Temp	: -20°C ~ 70°C
Wireless Consumption	: ≤ 0.2W
Working Humidity	: ≤ 95 %





SMART POWER STRIP EU USB TYPE C



App




USB
Type C



Time
Schedule

SPECIFICATIONS

Power Supply : 250V AC
Input of USB : 110-240V ~ 50/60Hz
Max. Current : 3680W/16A
Wireless : 2.4GHz (IEEE802.11 b/g/n)





SMART PLUG EU



App



Time
Schedule





On/Off
Switch

SPECIFICATIONS

Power Supply : 250V AC

Max. Current : 3500W/16A

Wireless : 2.4GHz (IEEE802.11 b/g/n)





SMART CURTAIN

Available Length :

2.2m 3.2m 4.2m 5.2m



App



Manual
Operation



Super
Silent



Smooth
Running




Easy
Installation



Time
Schedule

SPECIFICATIONS

Input Voltage	: AC85-260V
Rated Torque	: 1.2 NM
Load	: <50kg
Nominal Consump	: 45W
IP	: IP20





SMART IR REMOTE



App




Compatibility



360°
Detection



Time
Schedule



SPECIFICATIONS

Size	: Ø 40x14mm
Cable	: 1 Meter
Input Voltage	: DC 5V/1A
Wireless	: 2.4GHz
Infrared Frequency	: 38KHz
Infrared Range	: ≤12 Meters



DEON MICRO SD MEMORY CARD



Waterproof



Shock Proof



Supports SDHC



Data Transfer Safety



Convenient and Reliable

SPECIFICATIONS

Capacity	: 128GB 64GB
Read Speed	: Up to 90MB/s
Durability	: Waterproof
Security	: Built-In Write Protect





DEON
by **DEKSON**



PROJECT REFERENCE

Cluster Mozart, Summarecon Serpong
Cluster Chelsea , Wisata Bukit Mas Surabaya
Cluster New Lemonade Garden, Grand Wisata
Cluster Z Living, Grand Wisata Tambun
Cluster Hiera, Cisauk Serpong
Cluster Mozart Summarecon Serpong
Cluster Tamanmas, Grand Wisata Tambun
Cluster Levante, Grand Wisata Tambun
Cluster Misisipi, Kota Wisata Cibubur
Cluster Flora Summarecon Bandung
Cluster Volga, Serpong Garden City
Cluster Virginia Pine, OCBD
Cluster Northern Pine, OCBD
Citra Garden, Serpong

Luxury Estate, Lippo Karawaci
Summarecon Serpong
Summarecon Bandung
Summarecon Makassar
Pasadena Paramount, Gading Serpong
Pasadena Menteng
Pasadena Tropis, Gading Serpong
Ruko Garden House, Grand Wisata Tambun
Ruko Westfile, Grand Wisata Tambun
Menteng Village, Gading Serpong
Urban Familia, Bekasi
Pine Residence, Bogor
Griya Idola, Griya Idola Residence
Orchard Village, Bekasi

