





BROCHURE

DOOR & WINDOW ACCESSORIES



1	Electronic Lock – ELH 5114 MF FIN PASS BT
2	HINGE
3	Mortise Cylinder Mortise & Cylinder
4	Pull Handle
6	Lever Handle Tube Roses
8	Lever Handle Plate Pull Plate
9	Handleset (40x85)
10	Handleset (40x85) Handleset (40x58)
11	Handleset (30x85) Handleset (40x58)
12	Handleset (40x85)
14	Cylindrical Lockset Padlock
15	Door Closer Door Bolt
16	Magnetic Door Stopper Flush Bolt Door Viewer Door Chain Spring Knip
17	Friction Stay Arm Stay
18	Hanger Hook Wall Window Stay Adjustable Window Holder
19	Aluminium Lock Crescent Lock Casement Handle Mohair
20	Floor Spring Patch Fitting
21	Silicone/Sealant
23	Silicone Gun Shower Hinge Glass Suction Glass Clip Floor Drain (SANITARY)
24	Furniture Hinge Furniture Handle Spring Support
25	Roller Caster Showcase Roller Sliding Rail

TABLE OF CONTENT

ELECTRONIC LOCK

ELH 5114

MF FIN PASS BT



ACCESS :



MOBILE APP



FINGERPRINT




PASSWORD



CARD



MECHANICAL KEY



FEATURES :



ANTI PEEPING CODE



BATTERY POWER
AA ALKALINE 4 PCS




UNLOCK HISTORY



DOORBELL



LOW POWER WARNING
(MTYPE C BACKUP POWER)



STAINLESS STEEL HINGE



ESS 3x2,5x2MM 2BB SSS
Available : MATT BLACK



ESS 4x3x2MM 2BB SSS
Available : MATT BLACK




ESS 4x3x3MM 4BB SSS
Available : MATT BLACK



ESS 5x3x3MM 4BB SSS
Available : MATT BLACK


IRON HINGE




ES IR 3x2,5x2MM 2BB SN



ES IR 3x2,5x2MM 2BB CP



ES IR 3x2,5x2MM 2BB GP



ES IR 4x3x2MM 4BB SN



ES IR 4x3x2MM 4BB CP



ES IR 4x3x2MM 4BB GP



ES IR 5x3x2,5MM 4BB SN



ES IR 5x3x2,5MM 4BB CP



ES IR 5x3x2,5MM 4BB GP

MORTISE

INTERLATCH / SWING



MTS IL HP485
SSS



MTS IL HP485
MATT BLACK

ROLLER LATCH



MTS RL HP485
SSS



MTS RL HP485
MATT BLACK

SLIDING



MTS SLD 4100 40MM
SSS

CYLINDER



CYL TC BR DL 60MM
MATT BLACK



CYL DC BR DL 60MM
MATT BLACK



CYL TC BR DL 60MM SN



CYL DC BR DL 60MM SN



CYL KC 5123 / 5423

MORTISE & CYLINDER SET

ECOLINE SERIES



MTS IL EC3085 + CYL DC 65MM SN



MTS RL EC3085 + CYL DC 65MM KK SN



MTS IL EC4085 + CYL DC 60MM KK SN



MTS RL EC4085 + CYL DC 60MM KK SN
Available : MATT BLACK



MTS IL EC4058 + CYL DC 60MM KK SN



PH 003
22x15x300x180 SSS+PSS
Available:
22x15x400x250 SSS+PSS



PH 005
25x300x180 SSS+PSS
Available:
25x400x230 SSS+PSS



PH 007
25x400x250 MATT BLACK
Available:
25x300x180 SSS+PSS
25x400x250 SSS+PSS



PH 010
25x300x180 SSS+PSS
Available:
25x400x250 SSS+PSS



PH 012
25x15x300x180 SSS+PSS
Available:
25x15x400x250 SSS+PSS



PH 013
25x300x230 SSS+PSS
Available:
25x400x280 SSS+PSS



PH 015
25x300x200 SSS+PSS




PH 017
25x300x240 SSS+PSS
Available:
25x400x300 SSS+PSS



PH 018
22x22x300x180 PSS+SSS
Available:
22x22x400x250 PSS+SSS
30x15x600x400 MATT BLACK



PH 021
25x300x150 SSS+PSS




PH 023
25x300x150 SSS+PSS
Available:
25x400x230 SSS+PSS



PH SQ501
25x25x475x450 MATT BLACK
Available:
30x30x630x600 PSS+SSS
25x25x475x450 PSS+SSS



PH 519
32x482x450 PSS+SSS



PH 520
25x450x380 PSS+SSS
Available:
32x600x400 PSS+SSS



PH 521
32x475x450 PSS+SSS
Available:
32x475x450 MATT BLACK



PH C 801
32x382x350 PSS
Available:
32x332x300 PSS



PH 801G
32x382x350 MATT BLACK
Available:
32x332x300 MATT BLACK



PH 801G
32x332x300 WHITE
Available:
32x382x350 WHITE



PH 809
32x382x350 PSS
Available:
32x332x300 PSS



PH 813
25x375x350MM PSS



PH 814
25x(475 / 175)x(450 / 150) PSS
Available:
25x(525 / 225)x(500 / 200) PSS



LHTR 02-0002 SSS
Available:
LHTR 02-0002 MATT BLACK



LHTR 02-0003 19MM SSS
LHTR 02-0003 22MM SSS



LHTR 02-0006 SSS



LHTR 02-007 SSS
Available:
LHTR 02-007 MATT BLACK



LHTR 02-0016 19MM SSS
LHTR 02-0016 22MM SSS



LHTR 02-019 SSS



LHTR 02-0022 SSS



LHTR 02-0023 SSS



LHTR 02-0024 SSS




LHTR 02-0039 SSS



LHTR 02-0821 SSS



LHTR 02-820 SSS



LHTR 02-104 SSS
Available:
LHTR 02-104 MATT BLACK



LHTR 02-0003 OVAL SSS



LHTR 02-0006 OVAL SSS

LEVER HANDLE TUBE ROSES



LHTR 02-0039 OVAL SSS



LHTR 02-84030 OVAL SSS



LHTR 02-820 OVAL SSS



LHR 503 AL GUN METAL
Available:
LHR 503 AL MATT BLACK



LHR 505 AL SC
Available:
LHR 505 AL GUN METAL
LHR 505 AL MATT BLACK



LHR 506 AL GUN METAL
Available:
LHR 506 AL SC
LHR 506 AL MATT BLACK




LHR 508 AL MATT BLACK
Available:
LHR 508 AL GUN METAL



LHR 520 AL SC
Available:
LHR 520 AL GUN METAL
LHR 520 AL MATT BLACK




LHR 522 AL MATT BLACK
Available:
LHR 522 AL SC



LHR 531 AL GUN METAL
Available:
LHR 531 AL CP
LHR 531 AL MATT BLACK



LHR 535 AL SCM
Available:
LHR 535 AL GUN METAL
LHR 535 AL MATT BLACK



LHP 7301 WH



LHP 7303 WH



LHP 8803 WH



LHP 8803 BK




PP 512 SSS



PP 001 ZA SN



PP 001 ZA AB



MTS IL EC4085 + CYL DC 60MM KK SN



HANDLESET (40x85)
LHP AI H1534 SN+CP



HANDLESET (40x85)
LHP AI H1536 SN+CP



HANDLESET (40x85)
LHP AI H1567 SN+CP



HANDLESET (40x85)
LHP AI H1585 SN+CP




HANDLESET (40x85)
LHP AI H155302 SN



HANDLESET (40x85)
LHP AI H150502 SN+CP



HANDLESET (40x85)
LHP AI H150503 SN+CP



HANDLESET (40X85)
LHP AI H150705 SN+CP



HANDLESET (40X85)
LHP AI H85326 SN+CP



HANDLESET (40X85)
LHP AI H85327 SN+CP



HANDLESET (40X85)
LHP AI H85328 SN+CP



HANDLESET (40X58)
LHP AI H85321 SN+CP



HANDLESET (40X58)
LHP AI H90-5810 SN+CP



HANDLESET (40X58)
LHP AI H90-5810 SN+CP



HANDLESET (40X58)
LHP AI H91-5811 SN+CP

HANDLESET (30x85)



MTS IL EC3085 + CYL DC 65MM SN



HANDLESET (30X85)
LHTR 02-84030 SSS



HANDLESET (30X85)
LHP AI H1514 WHITE



HANDLESET (30X85)
LHP AI H1514 YBIC



HANDLESET (30X85)
LHP AI H1514 BLACK

HANDLESET (40x58)



MTS IL EC4058 + CYL DC 60MM KK MB




HANDLESET (40X58)
LHP AI H90-5810 MATT BLACK

BLACK SERIES



HANDLESET (40X58)
LHP AI H91-5811 MATT BLACK


BLACK SERIES



HANDLESET (40X85)
LHP AI H125302 MATT BLACK




HANDLESET (40X85)
LHP AI H85326 MATT BLACK




HANDLESET (40X85)
LHP II H85512 MATT BLACK



HANDLESET (40X85)
LHP II H85513 MATT BLACK



HANDLESET (40X85)
LHP II H85515 MATT BLACK



HANDLESET (40X85)
LHP II H85520 MATT BLACK



HANDLESET (40X85)
LHP II H85522 MATT BLACK



HANDLESET (40X85)
LHP II H85523 MATT BLACK

BLACK SERIES




**MTS IL EC4085 +
CYL DC 60MM KK MATT BLACK**



HANDLESET (40X85)
LHTR 02-0003 MATT BLACK



HANDLESET (40X85)
LHTR 02-0006 MATT BLACK



HANDLESET (40X85)
LHP AI H1228 MATT BLACK




HANDLESET (40X85)
LHP AI H1567 MATT BLACK



HANDLESET (40X85)
LHP AI H1585 MATT BLACK



HANDLESET (40X85)
LHP AI H120502 MATT BLACK



HANDLESET (40X85)
LHP AI H120503 MATT BLACK



KCBL 5587 ET SSS (For Entrance)



KCBL 5587 BK SSS (For Toilet)

PADLOCK



PL H501-40S CP
Available: PL H501-50S CP
PL H501-60S CP



PL H501-40L CP
Available: PL H501-50L CP
PL H501-60L CP



PL H536-38S BP
Available: PL H536-50S BP
PL H536-63S BP
PL H536-75S BP



PL H536-38S BP
Available: PL H536-50L BP
PL H536-63L BP
PL H536-75L BP




PL H501-50S 3 MK CP

MASTERKEY



DOOR CLOSER

MAX CAPACITY : 40 KG



DCL 202 HO NA
Available : • WH
• BA



DCL 202 NHO BA
Available : • NA
• WH

DOOR BOLT

DB H01



DB H01 2" SSS



DB H01 3" SSS



DB H01 4" SSS



DB H01 6" SSS




DB H01 12" SSS


DB AI H03




DB AI H03 2" MATT BLACK
Available : • NA
• WHITE



DB AI H03 3" WHITE
Available : • NA
• MATT BLACK



DB AI H03 4" NA




DB AI H03 6" NA



DB AI H03 12" NA

DB H021



DB H021 3" SSS

FLUSH BOLT



FB 540 8"+12" SSS

MAGNETIC DOOR STOPPER



HPT MDS 2229 SN



HPT MDS 2231 SN



HPT MDS 2805 SSS



HPT MDS 5183 SSS

DOOR CHAIN




DC 513 SSS

DOOR VIEWER



DV H20 SN

SPRING KNIP




SK 109Z SN
Available : GP



SK SQ110 SN



SK SQ111 CP



SK SQ112 SSS



SK SQ112 MATT BLACK

FRICTION STAY

Material : Stainless Steel



FS 810 8"




FS 810 10"



FS 810 12"



FS 810 14"



FS 810 16"



FS 810 20"




FS 810 24"


ARM STAY



AR 12" SSS



TYPE	A	B	C	D	Max. Vent. Height (mm)	Max. Vent. Width (mm)	Max. Vent. Weight (kg)	Opening Angle (°)	Number of Bar
FS 810 8"	19	14	15.5	2	600	400	6	60°	4
FS 810 10"	19	14	15.5	2	700	500	7	90°	4
FS 810 12"	19	14	15.5	2	900	600	10	90°	4
FS 810 14"	19	16	15.5	2.5	1000	700	13	90°	4
FS 810 16"	19	16	15.5	2.5	1200	800	18	90°	4
FS 810 20"	22	17	18	2.8	1300	800	22	60°	5
FS 810 24"	22	17	18	2.8	1500	800	24	60°	6



HANGER HOOK WALL



HHW AL 003 WHITE



HHW AL 003 GREY



HHW AL 003 MATT BLACK



HHW AL 005 WHITE



HHW AL 005 GREY



HHW AL 005 MATT BLACK



HHW AL 009 WHITE



HHW AL 009 GREY



HHW AL 009 MATT BLACK



HHW ZC 002 CF



HHW ZC 002 MAB



HHW ZC 002 MATT BLACK



HHW ZC 036 CF



HHW ZC 036 GREY

WINDOW STAY



WS 511 8" SSS



WS 511 8" HX MATT BLACK
Available : SSS




WS 512 8" SQ CP



WS 512 8" SQ MATT BLACK

ADJUSTABLE WINDOW HOLDER



AWH 402 8" SN



AWH 402 8" MATT BLACK

ALUMINIUM LOCK



KC HPT 5123



KC HPT 5423



KC HPT 5128 PJ



KC HPT 5128 PD

CRESCENT LOCK



CL 530 NA



CL 530 BK



CL 530 WH



CL 530 YB1C

CASEMENT HANDLE




CHW 4 L/H NA
Available : R/H



CHW 4 R/H WH
Available : L/H



CHW 4 L/H BK
Available : R/H



CHW 4 R/H YB1C
Available : L/H

MOHAIR



MOHAIR HAMPTON BIG
MHR 1,1x0,7x175M LIGHT GREY



MOHAIR HAMPTON BIG
MHR 1,1x0,7x175M BLACK



MOHAIR HAMPTON BIG
MHR 1,1x0,7x175M BROWN




MOHAIR HAMPTON SMALL
MHR 0,69x0,5x200M LIGHT GREY




FD 5115 PSS

MOHAIR HAMPTON SMALL
MHR 0,69x0,5x200M BLACK



FH 84 SSS

Max Capacity : 80 kg
Max Door Width : 900 mm



FH 210 SSS

Max Capacity : 60 kg
Max Door Width : 800 mm

PATCH FITTING



PT 10 PSS



PT 20 PSS



PT 30 PSS




PT 40 PSS



US 10 PSS

ILLUSTRATION :



SILICONE EXTENDED HPT-GP5311

DESCRIPTION :

Hampton HPT-GP5311 is an acetic cure general purpose sealant suitable for construction and household repairs. It gives excellent sealing and adhesion to glass, tiles, ceramics fiberglass, aluminium, non-oily woods, plastic and many other non-porous materials.

APPLICATION :

Repairing, plumbing, gap-filling and glazing

COLOURS :

Clear, Black, Brown, White, Light Grey

PACKING :

Silicone HPT GP-5311 is available in 300 ml disposable plastic cartridges.

STORAGE :

Store in dry and cool place below 30° C (90° F). Use within 12 months from date of production.

PROPERTY	RESULT
UNCURED-AS TESTED AT 50% RH AND 23°C	
FLOW, SAG OR SLUMP	1 MM MAX
TACK-FREE TIME	10 MINUTES
EXTRUSION RATE	800 ML / MINUTE
CURING SPEED	2-4 MM / DAY
WORKING TIME	5 MINUTES
APPLICATION TEMPERATURE	4°C TO 40°C
CURING TIME	7-14 DAYS
SPECIFIC GRAVITY	0.96 G / CM³
AS CURED-AFTER 21 DAYS AT 50% RH AND 23°C	
DUROMETER HARDNESS, SHORE A	23
ULTIMATE TENSILE STRENGTH	0.60 MPA
ELONGATION AT BREAK	300%
TEMPERATURE RESISTANCE	-30°C TO 90°C



SILICONE NEUTRAL HPT-5301

DESCRIPTION :

HPT-5301 NEUTRAL is a one-component, neutral-curing, low modulus silicone sealant with outstanding adhesion, long shelf life and excellent tooling characteristics for construction, glass and window building. HPT-5301 NEUTRAL cures at room temperature in the presence of atmospheric moisture to give a permanently flexible silicone rubber.

APPLICATION :

Neutral sealants are used for a variety of applications, including sealing gaps and joints in a wide range of applications, including in construction, automotive, and industrial settings

COLOURS :

Clear, Black, White, Light Grey

PACKING :

Silicone HPT GP-5311 is available 300 gr (for **clear**) and 430gr (for **colors**) in disposable plastic cartridges.

STORAGE :

Store in dry and cool place below 30° C (90° F). Use within 12 months from date of production.

FOR CLEAR :

PROPERTY	RESULT
UNCURED-AS TESTED AT 50% RH AND 23°C	
FLOW, SAG OR SLUMP	NO
TACK-FREE TIME	10 MINUTES
EXTRUSION RATE	>250 G / MIN
CURING SPEED	2 MM / 24 H
WORKING TIME	5 MINUTES
APPLICATION TEMPERATURE	4°C TO 60°C
CURING TIME	2-4 MM / 24 H
SPECIFIC GRAVITY	0.98±0.01
AS CURED-AFTER 21 DAYS AT 50% RH AND 23°C	
DUROMETER HARDNESS, SHORE A	30±2
ULTIMATE TENSILE STRENGTH	>0.7 MPA
ELONGATION AT BREAK	>150%
TEMPERATURE RESISTANCE	-50°C TO 200°C

FOR COLORS :

PROPERTY	RESULT
UNCURED-AS TESTED AT 50% RH AND 23°C	-
FLOW, SAG OR SLUMP	NO
TACK-FREE TIME	20 MINUTES
EXTRUSION RATE	>300 G / MIN
CURING SPEED	2-4 MM / 24 H
WORKING TIME	10 MINUTES
APPLICATION TEMPERATURE	4°C TO 60°C
CURING TIME	2-4 MM / 24 H
SPECIFIC GRAVITY	1.51±0.02
AS CURED-AFTER 21 DAYS AT 50% RH AND 23°C	
DUROMETER HARDNESS, SHORE A	43±2
ULTIMATE TENSILE STRENGTH	>0.8 MPA
ELONGATION AT BREAK	>200%
TEMPERATURE RESISTANCE	-50°C TO 150°C



SILICONE GUN



SILICONE GUN HAMPTON 2000

SHOWER HINGE



SH-5801 GW PSS
Glass Thickness : 8 - 10 mm



SH-5803 GG (180) PSS
Glass Thickness : 8 - 10 mm

GLASS SUCTION



GSC 3S

GLASS CLIP



GL H001 (GG) PSS




GL H001 (GW) PSS


FLOOR DRAIN



FD 5105 PSS



Material : Stainless Steel
Size : 100x100 mm



Material : Stainless Steel
Size : 100x100 mm



ESS SL 5" SSS



HYD ES SD H5103
FULL OVERLAY CP




ES SD H5261
FULL OVERLAY CP



HYD ES SD H5333
FULL OVERLAY CP



ESS SL 9" SSS



ES SD H5261
HALF OVERLAY CP



HYD ES SD H5333
HALF OVERLAY CP



ES SD H5261
INSET CP



HYD ES SD H5333
INSET CP

FURNITURE HANDLE



FH H601 12x204MM SSS
FH H601 12x268MM SSS
FH H601 12x332MM SSS



FH H602 15x271MM SSS
FH H602 15x335MM SSS



FH H603 10x20x202MM SSS
FH H603 10x20x266MM SSS
FH H603 10x20x330MM SSS



FH H605 10x20x170MM SSS
FH H605 10x20x266MM SSS
FH H605 10x20x330MM SSS



FH H606 14x264MM SSS+PSS
FH H606 14x328MM SSS+PSS



FH H607 15x15x200MM SSS+PSS
FH H607 15x15x328MM SSS+PSS



FH H608 10x10x200MM PSS
FH H608 10x10x400MM PSS



FH H610 15x15x300MM SSS
FH H610 15x15x400MM SSS
FH H610 15x15x500MM SSS

SPRING SUPPORT



SP H5213 100N SILVER



SP H5221 SOFT CLOSER 100N SILVER

ROLLER CASTER



RC 50 2" BALL
Capacity Max : 50 kg / Pair



RC PP 50 2" BRAKE
Capacity Max : 30 kg / Pair



RC PP 50 2" NO BRAKE
Capacity Max : 30 kg / Pair



RC PV 50 2" BRAKE RED
Capacity Max : 30 kg / Pair
Available : NO BRAKE



RC PP 75 3" BRAKE
Capacity Max : 50 kg / Pair



RC PP 75 3" NO BRAKE
Capacity Max : 50 kg / Pair

SHOWCASE ROLLER



SCR H001 BIG CP



SCR H001 SMALL CP

SLIDING RAIL

TYPE	MAX. CAPACITY
SR H3 1,8M NA	100 Kg
SR H4 2M NA	



BRACKET (4 pcs)



ROLLER (2 pcs)




STOPPER (2 pcs)



FLOOR GUIDE (1 pcs)



TRACK 2M
TRACK 1,8M



U-CHANNEL 1M

